Neuroscience Letters, 101 (1989) 356–359
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abajo, F.J., Castro, M.A.S., Lopo, C.R., Garijo, B., Sanchez-Garcia, P. and Garcia, A.G., Sodium-dependent and sodium-independent nicotine-evoked catecholamine release from cat adrenals, 101
Abraham, W.C., see Dragunow, M., 274
Adem, A., Nordberg, A., Jossan, S.S., Sara, V. and Gillberg, P.-G., Quantitative autoradiography of nicotinic receptors in large cryosections of human brain hemispheres, 247
Agnati, L.F., see Fuxe, K., 337
Alescio-Lautier, B., see Metzger, D., 77
Amann, R., Donnerer, J. and Lembeck, F., Ruthenium red selectively inhibits capsaicin-induced release of calcitonin gene-related peptide from the isolated perfused guinea pig lung, 311
Anandatheerthavarada, H.K., see Ravindranath, V., 187
Anderton, P.J. and Millar, T.J., MK801-induced antagonism of NMDA-preferring excitatory amino acid receptors in horizontal cells of the turtle retina, 331
Angelucci, L., see Imperato, A., 214
Atwood, H.L., Dudel, J., Feinstein, N. and Parnas, I., Long-term survival of decentralized axons and incorporation of satellite cells in motor neurons of rock lobsters, 121

Balázs, R., Hack, N., Jørgensen, O.S. and Cotman, C.W., *N*-Methyl-D-aspartate promotes the survival of cerebellar granule cells: pharmacological characterization, 241
Barotte, C., Eclancher, F., Ebel, A., Labourdette, G., Sensenbrenner, M. and Will, B., Effects of basic fibroblast growth factor (bFGF) on choline acetyltransferase activity and astroglial reaction in adult rats after partial fimbria transection, 197
Barron, S., see Mazliah, J., 253
Bartoszyk, G.D. and Wild, A., B-vitamins potentiate the antinociceptive effect of diclofenac in carrageenin-induced hyperalgesia in the rat tail pressure test, 95
Bastmeyer, M., Beckmann, M., Nona, S.M., Cronly-Dillon, J.R. and Stuermer, C.A.O., Identification of astrocyte- and oligodendrocyte-like cells of goldfish optic nerves in culture, 127
Beckmann, M., see Bastmeyer, M., 127
Ben Ari, Y., see Kanaya-Ida, S., 23
Bental, E., see Mazliah, J., 253
Beyreuther, K., see Hyman, B.T., 352
Bingmann, D., see Walden, J., 209
Black, E.W., see Halpern, R.E., 293
Bowen, D.M., see Procter, A.W., 62
Busto, R., Dietrich, W.D., Globus, M.Y.-T. and Ginsberg, M.D., Postischemic moderate hypothermia inhibits CA1 hippocampal ischemic neuronal injury, 299
Butler, K., see Preston, E., 46

Calas, A., see Sif, J., 223
Callaway, C., see Hakan, R.L., 163
Castellano, C., see Fagioli, S., 229
Castro, M.A.S., see Abajo, F.J., 101
Cederqvist, B., see Wiklund, N.P., 269
Chen, Z. and Engberg, G., The rat nucleus paragigantocellularis as a relay station to mediate peripherally induced central effects of nicotine, 67
Chicheportiche, R., see Maurice, T., 234
Coleman, R., see Mazliah, J., 253
Connick, J.H. and Stone, T.W., Quinolinic acid neurotoxicity: protection by intracerebral phenylisopropyladenosine (PIA) and potentiation by hypotension, 191
Conrad, B., see Schönle, P.W., 321
Cotman, C.W., see Balázs, R., 241
Cronly-Dillon, J.R., see Bastmeyer, M., 127
Cross, A.J., see Procter, A.W., 62
Crozier, T.A., see Schönle, P.W., 321

DeLanney, L.E., see Irwin, I., 83
Denavit-Saubié, see Morin-Surun, M.P., 57
Destrade, C., see Sif, J., 223
Di Monte, D., see Irwin, I., 83
Dietrich, W.D., see Busto, R., 299
Donnerer, J., see Amann, R., 311
Dragunow, M., Abraham, W.C., Goulding, M., Mason, S.E., Robertson, H.A. and Faull, R.L.M., Long-term potentiation and the induction of C-fos mRNA and protein in the dentate gyrus of unanesthetized rats, 274
Dressler, D., see Schönle, P.W., 321

0304-3940/89/$ 03.50 © 1989 Elsevier Scientific Publishers Ireland Ltd.

Neuroscience Letters, 101 (1989) 356–359
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Abajo, F.J., Castro, M.A.S., Lopo, C.R., Garijo, B., Sanchez-Garcia, P. and Garcia, A.G., Sodium-dependent and sodium-independent nicotine-evoked catecholamine release from cat adrenals, 101
Abraham, W.C., see Dragunow, M., 274
Adem, A., Nordberg, A., Jossan, S.S., Sara, V. and Gillberg, P.-G., Quantitative autoradiography of nicotinic receptors in large cryosections of human brain hemispheres, 247
Agnati, L.F., see Fuxe, K., 337
Alescio-Lautier, B., see Metzger, D., 77
Amann, R., Donnerer, J. and Lembeck, F., Ruthenium red selectively inhibits capsaicin-induced release of calcitonin gene-related peptide from the isolated perfused guinea pig lung, 311
Anandatheerthavarada, H.K., see Ravindranath, V., 187
Anderton, P.J. and Millar, T.J., MK801-induced antagonism of NMDA-preferring excitatory amino acid receptors in horizontal cells of the turtle retina, 331
Angelucci, L., see Imperato, A., 214
Atwood, H.L., Dudel, J., Feinstein, N. and Parnas, I., Long-term survival of decentralized axons and incorporation of satellite cells in motor neurons of rock lobsters, 121

Balázs, R., Hack, N., Jørgensen, O.S. and Cotman, C.W., *N*-Methyl-D-aspartate promotes the survival of cerebellar granule cells: pharmacological characterization, 241
Barotte, C., Eclancher, F., Ebel, A., Labourdette, G., Sensenbrenner, M. and Will, B., Effects of basic fibroblast growth factor (bFGF) on choline acetyltransferase activity and astroglial reaction in adult rats after partial fimbria transection, 197
Barron, S., see Mazliah, J., 253
Bartoszyk, G.D. and Wild, A., B-vitamins potentiate the antinociceptive effect of diclofenac in carrageenin-induced hyperalgesia in the rat tail pressure test, 95
Bastmeyer, M., Beckmann, M., Nona, S.M., Cronly-Dillon, J.R. and Stuermer, C.A.O., Identification of astrocyte- and oligodendrocyte-like cells of goldfish optic nerves in culture, 127
Beckmann, M., see Bastmeyer, M., 127
Ben Ari, Y., see Kanaya-Ida, S., 23
Bental, E., see Mazliah, J., 253
Beyreuther, K., see Hyman, B.T., 352
Bingmann, D., see Walden, J., 209
Black, E.W., see Halpern, R.E., 293
Bowen, D.M., see Procter, A.W., 62
Busto, R., Dietrich, W.D., Globus, M.Y.-T. and Ginsberg, M.D., Postischemic moderate hypothermia inhibits CA1 hippocampal ischemic neuronal injury, 299
Butler, K., see Preston, E., 46

Calas, A., see Sif, J., 223
Callaway, C., see Hakan, R.L., 163
Castellano, C., see Fagioli, S., 229
Castro, M.A.S., see Abajo, F.J., 101
Cederqvist, B., see Wiklund, N.P., 269
Chen, Z. and Engberg, G., The rat nucleus paragigantocellularis as a relay station to mediate peripherally induced central effects of nicotine, 67
Chicheportiche, R., see Maurice, T., 234
Coleman, R., see Mazliah, J., 253
Connick, J.H. and Stone, T.W., Quinolinic acid neurotoxicity: protection by intracerebral phenylisopropyladenosine (PIA) and potentiation by hypotension, 191
Conrad, B., see Schönle, P.W., 321
Cotman, C.W., see Balázs, R., 241
Cronly-Dillon, J.R., see Bastmeyer, M., 127
Cross, A.J., see Procter, A.W., 62
Crozier, T.A., see Schönle, P.W., 321

DeLanney, L.E., see Irwin, I., 83
Denavit-Saubié, see Morin-Surun, M.P., 57
Destrade, C., see Sif, J., 223
Di Monte, D., see Irwin, I., 83
Dietrich, W.D., see Busto, R., 299
Donnerer, J., see Amann, R., 311
Dragunow, M., Abraham, W.C., Goulding, M., Mason, S.E., Robertson, H.A. and Faull, R.L.M., Long-term potentiation and the induction of C-fos mRNA and protein in the dentate gyrus of unanesthetized rats, 274
Dressler, D., see Schönle, P.W., 321

0304-3940/89/$ 03.50 © 1989 Elsevier Scientific Publishers Ireland Ltd.

Dudel, J., see Atwood, H.L., 121
Dumoulin, F.L., see Streit, W.J., 143

Ebel, A., see Barotte, C., 197
Eclancher, F., see Barotte, C., 197
Eikelenboom, P., see Rozemuller, J.M., 288
Engberg, G., see Chen, Z., 67

Fagioli, S., Castellano, C., Oliverio, A., Pavone, R., Populin, R. and Toffano, G., Phosphatidylserine administration during postnatal development improves memory in adult mice, 229
Faull, R.L.M., see Dragunow, M., 274
Feinstein, N., see Atwood, H.L., 121
Fredholm, B.B. see Fuxe, K., 337
Fuxe, K., Von Euler, G., Van der Ploeg, I., Fredholm, B.B. and Agnati, L.F., Pertussis toxin treatment counteracts the cardiovascular effects of neuropeptide Y and clonidine in the awake unrestrained rat, 337

Garcia Antón, J.M., see Rodriguez, R.E., 89
Garcia, A.G., see Abajo, F.J., 101
Garijo, B., see Abajo, F.J., 101
Gemba, H. and Sasaki, K., Potential related to no-go reaction of go/no-go hand movement task with color discrimination in human, 263
Gillberg, P.-G., see Adem, A., 247
Ginsberg, M.D., see Busto, R., 299
Globus, M.Y.-T., see Busto, R., 299
Goulding, M., see Dragunow, M., 274
Greenamyre, J.T. and Young, A.B., Synaptic localization of striatal NMDA, quisqualate and kainate receptors, 133
Guerre-Seijas, M.J., see Labandeira-Garcia, J.L., 11
Gustafsson, L.E., see Wiklund, N.P., 342
Guyenet, P.G., see Pearce, R.A., 138

Haas, N., see Preston, E., 46
Hack, N., see Balázs, R., 241
Hakan, R.L., Callaway, C. and Henriksen, S.J., Electrophysiological analysis of the neural circuitry underlying opiate effects in the nucleus accumbens septi, 163
Halpern, R.E., Black, E.W. and Lakoski, J.M., Aging but not estrogen alters regional [^{3}H]5-HT binding in the CNS of female Fischer 344 rats, 293
Häppölä, O., Lakomy, M. and Yanaihara, N., Met^5-enkephalin- and Met^5-enkephalin-Arg^6-Gly^7-Leu^8-immunoreactive nerve fibers in the pig female reproductive system, 156
Hardebo, J.E., Suzuki, N. and Owman, C., Origins of substance P- and calcitonin gene-related peptide-containing nerves in the internal carotid artery of rat, 39
Hatanaka, H., see Ikegami, S., 17
Henriksen, S.J., see Hakan, R.L., 163
Höglund, U., see Magnusson, Å., 281
Hyman, B.T., Van Hoesen, G.W., Beyreuther, K. and Masters, C.L., A4 amyloid protein immunoreactivity is present in Alzheimer's disease neurofibrillary tangles, 352

Ikeda, K., see Iwasaki, Y., 316
Ikegami, S., Nihonmatsu, I., Hatanaka, H., Takei, N. and Kawamura, H., Recovery of hippocampal cholinergic activity by transplantation of septal neurons in AF64A treated rats, 17
Imperato, A. and Angelucci, L., 5-HT$_3$ receptors control dopamine release in the nucleus accumbens of freely moving rats, 214
Irwin, I., DeLanney, L.E., Di Monte, D. and Langston, J.W., The biodisposition of MPP$^+$ in mouse brain, 83
Isenberg, C., see Schönle, P.W., 321
Iwasaki, Y., Kinoshita, M., Ikeda, K., Takamiya, K. and Shiojima, T., Trophic effect of various neuropeptides on the cultured ventral spinal cord of rat embryo, 316

Jenner, P., see Rose, S., 305
Jørgensen, O.S., see Balázs, R., 241
Jossan, S.S., see Adem, A., 247

Kamenka, J.-M., see Maurice, T., 234
Kanaya-Ida, S. and Ben Ari, Y., Transient increase in the number of cholinergic neurons in the developing rat dentate gyrus, 23
Kawai, Y., Mori, S. and Takagi, H., Vagal afferents interact with substance P-immunoreactive structures in the nucleus of the tractus solitarius: immunoelectron microscopy combined with an anterograde degeneration study, 6
Kawamura, H., see Ikegami, S., 17
Kawamura, H., see Takei, N., 182
Kelly, E., see Rose, S., 305
Kilpatrick, G., see Rose, S., 305
Kim, S.U., see McLarnon, J.G., 107
Kinoshita, M., see Iwasaki, Y., 316
Kreutzberg, G.W., see Streit, W.J., 143

Labandeira-Garcia, J.A., see Labandeira-Garcia, J.L., 11
Labandeira-Garcia, J.L., Guerra-Seijas, M.J. and

Labandeira-Garcia, J.A., Oculomotor nucleus afferents from the interstitial nucleus of Cajal and the region surrounding the fasciculus retroflexus in the rabbit, 11
Labourdette, G., see Barotte, C., 197
Lakomy, M., see Häppölä, O., 156
Lakoski, J.M., see Halpern, R.E., 293
Langston, J.W., see Irwin, I., 83
Lembeck, F., see Amann, R., 311
Livett, B.G., see Wan, D.C.-C., 218
Lloyd, H.G.E., Perkins, A. and Spence, I., Effect of magnesium on depression of the monosynaptic reflex induced by 2-chloroadenosine or hypoxia in the isolated spinal cord of neonatal rats, 175
Lopo, C.R., see Abajo, F.J., 101
Lu, G.-W. and Yang, C.-T., The morphology of cat spinal neurons projecting to both the lateral cervical nucleus and the dorsal column nuclei, 29

Machetanz, J., see Schönle, P.W., 321
Magnusson, Å., Höglund, U. and Sjöquist, Biochemical evidence for the GABA regulation of vasopressin levels in microdissected brain structures after servo-controlled hypotension, 281
Mai, N., Residual control of isometric finger forces in hemiparetic patients. Evidence for dissociation of performance deficits, 347
Marsden, C.D., see Rose, S., 305
Mason, S.E., see Dragunow, M., 274
Masters, C.L., see Hyman, B.T., 352
Maurice, T., Vignon, J., Kamenka, J.-M. and Chicheportiche, R., In vivo labelling of the mouse dopamine uptake complex with the phencyclidine derivative [^{3}H]BTCP, 234
Mazliah, J., Barron, S., Bental, E., Rogowski, Z., Coleman, R. and Silbermann, M., The effects of long-term lead intoxication on the nervous system of the chicken, 253
McLarnon, J.G. and Kim, S.U., Existence of inward potassium currents in adult human oligodendrocytes, 107
Messier, C., see Sif, J., 223
Metzger, D., Alescio-Lautier, B. and Soumireu-Mourat, B., Facilitation of retention performance in mice by pretest microinjection of AVP into dorsal or ventral hippocampus: differential influence of the peptide on appetitive task, 77
Meunier, M., see Sif, J., 223
Millar, T.J., see Anderton, P.J., 331
Mori, S., see Kawai, Y., 6
Morin-Surun, M.P. and Denavit-Saubié, Rhythmic discharges in the perfused isolated brainstem preparation of adult guinea pig, 57
Muhlach, W.L. and Pollack, E.D., Selective incorporation of 2-deoxyglucose into the developing spinal cord in vitro in response to target tissue and substratum, 72
Murray, T.F., see Sanders, R.C., 325

Nihonmatsu, I., see Ikegami, S., 17
Nihonmatsu, I., see Takei, N., 182
Nomoto, M., see Rose, S., 305
Nona, S.M., see Bastmeyer, M., 127
Nordberg, A., see Adem, A., 247

Öhlén, A., see Wiklund, N.P., 342
Öhlén, A., see Wiklund, N.P., 269
Ohmori, Y. and Watanabe, T., Location of motoneurons innervating the musculus sphincter cloacae in the domestic fowl, 1
Oliverio, A., see Fagioli, S., 229
Ottersen, O.P., see Walberg, F., 149
Owman, C., see Hardebo, J.E., 39

Pals, S.T., see Rozemuller, J.M., 288
Parnas, I., see Atwood, H.L., 121
Pavone, R., see Fagioli, S., 229
Pearce, R.A., Stornetta, R.L. and Guyenet, P.G., Retrotrapezoid nucleus in the rat, 138
Perkins, A., see Lloyd, H.G.E., 175
Pollack, E.D., see Muhlach, W.L., 72
Populin, R., see Fagioli, S., 229
Preston, E., Butler, K. and Haas, N., Does magnetic resonance imaging compromise integrity of the blood–brain barrier?, 46
Procter, A.W., Stirling, J.M., Stratmann, G.C., Cross, A.J. and Bowen, D.M., Loss of glycine-dependent radioligand binding to the *N*-methyl-D-aspartate-phencyclidine receptor complex in patients with Alzheimer's disease, 62

Raivich, G., see Streit, W.J., 143
Ravindranath, V., Shivakumar, B.R. and Anandatheerthavarada, H.K., Low glutathione levels in brain regions of aged rats, 187
Robertson, H.A., see Dragunow, M., 274
Rodriguez, F.D., see Rodriguez, R.E., 89
Rodriguez, R.E., Rodriguez, F.D., Sacristán, M.P., Torres, J.L., Valencia, G. and Garcia Antón, J.M., New glycosylpeptides with high antinociceptive activity, 89
Rogowski, Z., see Mazliah, J., 253
Rose, S., Nomoto, M., Kelly, E., Kilpatrick, G., Jenner, P. and Marsden, C.D., Increased cau-

date dopamine turnover may contribute to the recovery of motor function in marmosets treated with the dopaminergic neurotoxin MPTP, 305
Rozemuller, J.M., Eikelenboom, P., Pals, S.T. and Stam, F.C., Microglial cells around amyloid plaques in Alzheimer's disease express leucocyte adhesion molecules of the LFA-1 family, 288

Sacristán, M.P., see Rodriguez, R.E., 89
Sanchez-Garcia, P., see Abajo, F.J., 101
Sanders, R.C. and Murray, T.F., Temporal relationship between A_1 adenosine receptor upregulation and alterations in bicuculline seizure susceptibility in rats, 325
Sara, V., see Adem, A., 247
Sasaki, K., see Gemba, H., 263
Schmid, A., How to use Heidenhains AZAN staining in insects, 35
Schneider, J.S., see Williams, J.L., 258
Schönle, P.W., Isenberg, C., Crozier, T.A., Dressler, D., Machetanz, J. and Conrad, B., Changes of transcranially evoked motor responses in man by midazolam, a short acting benzodiazepine, 321
Segal, M., Synaptic transmission between cultured rat hippocampal neurons is enhanced by activation of protein kinase-C, 169
Sensenbrenner, M., see Barotte, C., 197
Shiojima, T., see Iwasaki, Y., 316
Shivakumar, B.R., see Ravindranath, V., 187
Sif, J., Meunier, M., Messier, C., Calas, A. and Destrade, C., Quantitative [^{14}C]2-deoxyglucose study of a functional dissociation between anterior and posterior cingulate cortices in mice, 223
Silbermann, M., see Mazliah, J., 253
Sjöquist, see Magnusson, Å., 281
Soumireu-Mourat, B., see Metzger, D., 77
Speckmann, E.-J., see Walden, J., 209
Spence, I., see Lloyd, H.G.E., 175
Stam, F.C., see Rozemuller, J.M., 288
Stirling, J.M., see Procter, A.W., 62
Stone, T.W., see Connick, J.H., 191
Stornetta, R.L., see Pearce, R.A., 138
Stratman, G.C., see Procter, A.W., 62
Streit, W.J., Dumoulin, F.L., Raivich, G. and Kreutzberg, G.W., Calcitonin gene-related peptide increases in rat facial motoneurons after peripheral nerve transection, 143
Stuermer, C.A.O., see Bastmeyer, M., 127
Suzuki, N. see Hardebo, J.E., 39

Takagi, H., see Kawai, Y., 6
Takamiya, K., see Iwasaki, Y., 316
Takei, N., Nihonmatsu, I. and Kawamura, H., Age-related decline of acetylcholine release evoked by depolarizing stimulation, 182
Takei, N., see Ikegami, S., 17
Toffano, G., see Fagioli, S., 229
Torres, J.L., see Rodriguez, R.E., 89

Uhlig, S., see Witte, O.W., 51

Valencia, G., see Rodriguez, R.E., 89
Valle, E., see Witte, O.W., 51
Van Hoesen, G.W., see Hyman, B.T., 352
Van der Ploeg, I., see Fuxe, K., 337
Vignon, J., see Maurice, T., 234
Von Euler, G., see Fuxe, K., 337

Walberg, F., and Ottersen, O.P., Demonstration of GABA immunoreactive cells in the inferior olive of baboons *(Papio papio* and *papio anubis)*, 149
Walden, J., Speckmann, E.-J. and Bingmann, D., Modulation of spontaneous motility by $GABA_A$ in the rat's motorcortex in vivo, 209
Wan, D.C.-C. and Livett, B.G., Vasoactive intestinal peptide stimulates proenkephalin A mRNA expression in bovine adrenal chromaffin cells, 218
Watanabe, M., The appropriateness of behavioral responses coded in post-trial activity of primate prefrontal units, 113
Watanabe, T., see Ohmori, Y., 1
Wiklund, C.U., see Wiklund, N.P., 342
Wiklund, N.P., Wiklund, C.U., Ohlén, A. and Gustafsson, L.E., Cholinergic neuromodulation by endothelin in guinea pig ileum, 342
Wiklund, N.P., Öhlén, A. and Cederqvist, B., Adrenergic neuromodulation by endothelin in guinea pig pulmonary artery, 269
Wild, A., see Bartoszyk, G.D., 95
Will, B., see Barotte, C., 197
Williams, J.L. and Schneider, J.S., MPTP-induced ventral mesencephalic cell loss in the cat, 258
Witte, O.W., Uhlig, S. and Valle, E., Separation of different types of afterpotentials following penicillin-induced paroxysmal depolarization shifts of neurons in the motor cortex of the rat, 51

Yanaihara, N., see Häppölä, O., 156
Yang, C.-T., see Lu, G.-W., 29
Young, A.B., see Greenamyre, J.T., 133